

— We have **a committed team** to help you

— We provide **excellent delivery** service

— We will **beat** any like for like quote

**WATTS**  
ROOFING SUPPLIES

# PRODUCT CATALOGUE





I had a lovely experience when purchasing my roofing materials from Watts Roofing Supplies Baldock. Glen went the extra mile to ensure I could get the look I wanted. He was also friendly, helpful and very knowledgeable about everything that goes on with the roofs.

**CUSTOMER REVIEW VIA** 



Great bunch of lads, excellent service and had everything in stock for the roof including the insulation.

**CUSTOMER REVIEW VIA** 



Thank you Chris for being so helpful and getting the delivery out to me quickly. Top service and great product.

**CUSTOMER REVIEW VIA** 



# Note from the Directors

---

Dear valued customer.

We are pleased you chose to do business with Watts Roofing Supplies. As part of our promise, we will do our best to make sure you receive the best service possible, from excellent on-time deliveries to a warm cup of tea when you arrive at one of our branches.

Our journey, as a company, began at Baldock with a small section of a yard and an old battered van. With a lot of hard work from the team and consistent growth we managed to grow to where we are today.

As a company, we take great pride in our team and the small details that make us what we are today. This is what stands us apart from the rest.

If you need a helping hand or just have a question about your job, please give us a call or come for a chat at one of our branches. You are always welcome!

We also hope this brochure will give you a snapshot of what we do. Would be great to get your constructive feedback on how we can service you even better. Please feel free to reach out to us directly.

Watts team looks forward to helping you with your next project and making sure you get serviced to the standards we are known for.

To your success,

**Shane Watts**  
Company Director



shane@wattsroofing.co.uk

**Adam Wheeler**  
Company Director



adam@wattsroofing.co.uk

# PITCHED ROOFING

## Concrete Roof Tiles

**WATTS**  
ROOFING SUPPLIES

### CONCRETE TILES



#### Plain

The authentic, traditional design of the Marley plain tile gives it a clean, classic look, rivalled only by its outstanding versatility.



Anthracite



Greystone



Old English Dark Red



Antique Brown



Mosborough Red



Smooth Brown



Dark Red



Natural Red



Smooth Grey



#### Edgemere

The clean, sleek appearance of these slate-like tiles offer enormous kerb appeal. These tiles are only 18mm thick.



Anthracite



Smooth Brown



Old English Dark Red




Smooth Grey



#### Duo Edgemere

If you like the clean, precise appearance of Edgemere, but would prefer a smaller format slate, then Duo Edgemere could offer you the perfect solution.



Anthracite



Smooth Grey



Old English Dark Red



#### River Edgemere

A randomised texture, on the surface of each tile, ensures an attractive variegated appearance with depth and tone, providing a finish which resembles natural slate.



Anthracite



Smooth Grey



#### Modern

Tried and tested across the UK, our Modern concrete tile range is available in 6 colours to provide a vast selection that won't let you down!




Anthracite



Mosborough Red



Smooth Brown



Antique Brown



Old English Dark Red



Smooth Grey



#### Duo Modern



Old English Dark Red



Smooth Grey



#### Mendip



Anthracite



Mosborough Red



Smooth Brown



Smooth Grey



Old English Dark Red

#### Double Roman




Dark Red



Smooth Brown



Greystone



Smooth Grey



Old English Dark Red



Mosborough Red



Antique Brown



Dark Red



Smooth Brown



Greystone



Smooth Grey



Mosborough Red



Old English Dark Red



#### EcoLogic Ludlow



Mosborough Red



#### Ludlow Plus



Antique Brown



Smooth Brown



Dark Red



Smooth Grey



Greystone



Old English Dark Red



#### Wessex



Smooth Brown



Smooth Grey



#### Ashmore



Smooth Grey



Smooth Brown



Old English Dark Red



#### Anglia



Smooth Grey



Antique Brown



Old English Dark Red



# PITCHED ROOFING

## Clay Roof Tiles

**WATTS**  
ROOFING SUPPLIES

### CLAY PLAIN TILES



#### Canterbury

Available in three distinctive colours – Loxleigh, Burford and Chailey – Marley's handmade tiles will enhance the character of any roof, and are the perfect choice for heritage and prestigious projects.



#### Hawkins

The Hawkins single camber range offers unrivalled performance and versatility, thanks to an astounding 30° minimum pitch capability. Made using the most modern firing techniques.




#### Ashdowne

Ashdowne handcrafted clay plain tiles offer all the warmth and mellow appearance of traditional handmade tiles, with a granular texture and slight random irregularities that make each tile unique.



#### Acme Single Camber

The Acme single camber clay plain tile allows the creation of traditional and contemporary low pitch roof designs with the warmth and character of clay.



#### Acme Double Camber

Acme double camber clay plain tiles have both a longitudinal and latitudinal camber, which accentuates light and shade and creates highly textured roofscapes.




### CLAY INTERLOCKING TILES



#### Lincoln

Lincoln Clay Interlocking Pantiles are an easy-to-fit traditional clay pantile with an open gauge design.



#### Maxima

A low pitch Double Roman Clay Tile with an open gauge.



#### Melodie

A low pitch single pantile with a flexible gauge.



#### Eden

The advanced design of the Eden Pantile makes laying of this true traditional pantile quicker and easier than ever before whilst preserving the charm and character of a traditional clay pantile.





# PITCHED ROOFING

## Concrete Tiles & Slate

**WATTS**  
ROOFING SUPPLIES

### CONCRETE



#### Plain Tile

This versatile cross-cambered concrete tile is perfect for complex detailing and curved roof applications.



#### Shire Pantile

All the proportions of a classic pantile profile available in seven distinctive colours.



#### Double Pantile

A high quality concrete tile that re-creates the flowing lines of a traditional pantile with an inherent strength in its curved design.



#### TLE: Thin leading edge

TLE® is one of the thinnest leading edges on the market. It gives a slate-like appearance and offers all the benefits of a modern interlocking design.

### LOW PROFILE TILES



#### Standard Pattern

Easy to install and highly durable, this tile is ideal for re-roofing and comes in convenient banded packs of eight.



#### Lindum

An interlocking concrete tile which provides a classic low profile roof.

### SLATE APPEARANCE



#### Calderdale Edge

A specialist clay tile with a delicate single roll, Gaelic is ideal for refurbishment or new build work in conservation areas.



#### Dual Calderdale

We have redesigned and precision engineered the ever-popular Calderdale tile to deliver improved coverage whilst at the same time reducing build costs. The larger and more versatile roof tiles are 5% bigger.

### SLATE



#### Balmoral Antique Slate

A new generation interlocking clay slate with an authentic slate appearance thanks to a riven surface, dressed edges and colour permanent ceramic finish.



#### Cassius Antique Slate

A large format interlocking clay roof tile that recreates the appearance of a slate roof, providing a highly affordable natural roof covering.



#### Rivius Antique Slate

Part of the New Generation portfolio - a slate appearance roof tile with an open gauge and interlocking format - 50% more cost effective than natural slate.



#### BritLock Graphite

A lightweight fully interlocking tile with a riven surface and thin leading edge. The single lap design offers savings through faster and easier fixing and reduced roof loadings.




#### BritSlate Countess Graphite

The BritSlate is made from recycled natural British slate, pulverised and re-formed in two traditional slate sizes with a riven appearance and dressed edges.



#### BritSlate Duchess Graphite

The BritSlate is made from recycled natural British slate, pulverised and re-formed in two traditional slate sizes with a riven appearance and dressed edges.





# PITCHED ROOFING

## Clay Roof Tiles

**WATTS**  
ROOFING SUPPLIES

### PLAIN TILES



#### Alban Sussex Blend

With its lightly sanded texture, irregular form and rustic tones, the Alban plain tile adds charm and character to any roof.



#### Okewood

A traditional clay plain tile with a cross camber, smooth finish and looks that are reminiscent of a sanded tile.



#### Village

Natural clay plain roof tiles with varied colour and texture that creates the appearance of an aged roof from new.



#### Koramic 301

A traditional clay plain tile. The Koramic 301 roof tile is perfect for adding character to both roofs and walls (in the form of vertical cladding).



#### Barrow

A handcrafted, cross cambered clay plain tile with a lightly sanded finish.



#### Goxhill

One of the finest and most distinctive roof coverings available, this handmade clay plain tile gives a rich textured roofscape that will become more attractive with age.



#### Humber

A traditional, cross cambered, machine made clay plain tile. Gives complete design and flexibility and is perfect for complex roofs or vertical cladding.



#### Koramic 303

A traditional machine-made clay tile with a sanded finish, available in a choice of three colours.

### FLAT INTERLOCKING



#### 20/20

A flat interlocking clay plain tile that uses innovative design to reduce installation costs and completion times.



#### Koramic Actua

A traditional machine-made clay tile with a sanded finish, available in a choice of three colours.

### ROMAN



#### Gaelic

A specialist clay tile with a delicate single roll, Gaelic is ideal for refurbishment or new build work in conservation areas.



#### Bridgwater Double Roman

A traditional machine-made clay tile with a sanded finish, available in a choice of three colours.

### PANTILES



#### Greenwood

A traditional handmade clay pantile made using long established techniques. The Greenwood will weather to a mature appearance and is perfect for conservation projects.



#### Old English

A traditional clay pantile offering beauty by design. This classic shape with its carefully proportioned profile creates a long lasting, beautiful roof.



#### Arcadia

The Arcadia pantile provides the look of an aged pantile from the minute it is installed on the roof. It replicates the charm and character of reclaimed pantiles from new.



#### Olympus

A New Generation clay tile designed to provide all the benefits of a natural clay roof at an affordable price thanks to its innovative design and large format size.



# PITCHED ROOFING

## Plain & Profiled Roof Tiles

**WATTS**  
ROOFING SUPPLIES

### PLAIN TILES



#### Rosemary Clay Craftsman

A unique manufacturing process on a bespoke production line enables the Rosemary Clay Craftsman clay tile, to be produced with a heritage look while maintaining all the attributes and strength of a brand new tile.



#### Rosemary Clay Craftsman

The Rosemary name is synonymous with clay plain tiles, adding distinction and character to pitched roofs for over 175 years. Today, a range of single and cross-camber tiles combine the quality of hand-crafted clay with the reliability of modern machine-made techniques.



#### Heathland

A concrete plain tile featuring variation in hanging length, irregular sides and subtle surface texturing finished with randomly applied fine sands which combine to create all the visual features of a handmade clay tile but at a fraction of the cost.



#### Plain Tile

Tiles are available in a wide range of different surface finishes, including smooth, sanded, painted and granular to blend with traditional roofing materials throughout the country.



#### Duoplain

DuoPlain combines the classic proportions and good looks of traditional plain tiles with all the time and cost-saving benefits of a modern, interlocking tile.



#### Fontenelle

The Fontenelle interlocking clay tile that offers a plain tile appearance, but with the benefits of reduced labour and material costs.



#### Plain Tile 17X27 Phalempin

Beautiful traditional colours and textures. Low 30° roof pitch guarantee.



#### Sahtas Traditional Handmade Clay Roof Tile

A rare collection of genuinely handmade roof tiles with distinctive colour and shade variations. The slight variations of camber, size and texture makes this collection a pure unique clay art.

### PROFILE TILES



#### Landmark Double Pantile

The Landmark Double Pantile is offered in two premier plus colours, Terracotta Brindle and Brown Brindle, and a comprehensive range of matching fittings and accessories.



#### Grovebury

A double pantile shape is quicker and easier to lay than a single pantile design. However, Grovebury concrete interlocking tiles still retains the traditional, gentle flowing lines of a classic pantile to blend easily and harmoniously into any environment.



#### Landmark Double Roman

Available in two authentic clay colours, they are ideal for maintaining the look of a traditional Double Roman roof at a considerable saving over new or reclaimed clay.



#### 50 Double Roman

A classic interlocking concrete tile with a distinctive Roman profile, boasting a gentle roll and subtle pans. It is available in a wide range of colours to blend harmoniously with any environment.



#### Regent

Regent tiles are characterised by their high, bold roll profile, creating a striking and unique effect on the roof. They are available in a wide range of colours to suit all roof types.



#### Renown

A neat, low profile tile designed to blend unobtrusively into its surroundings and giving a more contemporary feel to a roof with a square edged profile.



#### Fenland Pantile

Fenland Pantile is a natural successor to the distinctive single clay pantiles that characterise so much of the South East and East Anglia and is available in a range of six through coloured or pigmented acrylic finishes.



#### Redland 49

The Redland 49 has defined the roofscapes of London for over half a century, with its unique camber adding both strength and aesthetic appeal.



#### Old Hollow Clay Pantile

Old Hollow Clay Pantiles are traditional overlapping single pantiles produced with a weathered, rustic finish to create an aged appearance from day one.



#### Hollander Clay Pantile

Available in two popular colours that will mellow with age, Hollander Clay Pantiles retain all the charm and visual appeal of a traditional clay pantile with the added benefit of high performance.



#### Postel Clay Tile

The Postel clay tile originates from the Courtrai tile, which was imported into the UK from Belgium between the world wars due to a lack of indigenous supply at the time.



# PITCHED ROOFING

## Roofing Slate

**WATTS**  
ROOFING SUPPLIES

### NATURAL SLATE

**GUARANTEES  
RANGING**  
FROM 25 – 100 YEARS  
AVAILABLE UPON REQUEST



#### Estella Slate

Estella slate is a textured, deep blue-grey slate, quarried in the famous Northern Spanish region of Galicia.



#### Capimor Slate

Capimor is a light and smooth, blue-grey slate with a limited level of texturing popular both with traditional roofing and rustic cottages.



#### La Bana Slate

The La Bana Slate is blue-black in appearance. The final finish is very clean with a pyrite free appearance. This slate is exceptionally easy to work with and to cut to required sizes.



#### Lomba Slate

Lomba slate, quarried from 'Rozadais' in Galicia in North West Spain, is meticulously manufactured under rigorous quality control measures.

### JRC SLATE



#### Calidad 10

Calidad 10 Spanish roofing slate is ideal for residential properties, supermarkets and commercial properties.



#### Calidad 20

Calidad 20 Spanish roofing slate has a smooth, slightly textured appearance, with no visible pyrite.

### SSQ SLATE



#### SSQ Riverstone

Deep grey slate with thin laminations and very uniform smooth surface.



#### Del Prado Slate

Quarried and hand split especially for SSQ in North West Spain, Del Prado slate has an elegant blue-black colour and strong, deep texture.

### CUPA SLATES



**12**

Non-carbonated slate formed by tectonic compression.




**18**

Dark grey natural slate with thin laminations and a smooth surface.



**50**

Deep grey slate with thin laminations and very uniform smooth surface.



**09**

#### Stevenage

01438 879798

stevenage@wattsroofing.co.uk

#### Baldock

01462 491894

sales@wattsroofing.co.uk

#### Cambridge

01223 491711

cambridge@wattsroofing.co.uk

**WATTS**  
ROOFING SUPPLIES



# PITCHED ROOFING

## Fibre Cement & Slate Looks


**WATTS**  
ROOFING SUPPLIES

### FIBRE CEMENT SLATES



#### Cembrit Westerland

Westerland slate has an appearance very close to that of natural slate. Its attractive riven surface and natural dressed edges make it an ideal solution for situations where a traditional appearance is important.




#### Cembrit Moorland

Moorland slates have an appearance like higher end, natural slates with a less pronounced surface texture.



#### Cembrit Jutland

Cembrit Jutland is the most cost effective double lap slate for creating a natural looking roof. With a low leading edge your roof slope will have the neat, low profile appearance of a genuine slate roof without the shadow lines thicker concrete tiles create.



#### Cembrit Zeeland

Cembrit Zeeland fibre cement slates offer an attractive riven surface with clean, square edges. This combination creates a roof slope with the detail of a natural slate finish and the neat regularity of a low profile slated effect.



#### Rivendale

Rivendale slates have a finely detailed surface and dressed edges that together reproduce the attractive appearance of natural slate at a fraction of the cost.



#### Birkdale

A smooth surface and dressed edges offers a traditional and pleasing look at an affordable price, using nail and rivet fixing.



#### Garsdale

Versatile and easy to install, Garsdale slates feature a detailed textured surface and crisp square edge.




#### Thrutone

A smooth surface and square cut edges give a low profile slate at an economical price, particularly suitable to complex roof geometries.

### SLATE LOOKS

**15-YEAR SPECMASTER  
GUARANTEE**

AVAILABLE UPON REQUEST



#### Cambrian Slate

Cambrian Slates embody the beauty and character of natural slate. Made in Wales from over 60% recycled Welsh slate, Cambrian tops the range in both looks and performance and has a proven track record even on pitches as low as 15°.



#### Landmark 10 Slate

Landmark 10 Slates capture the unmistakable style and appeal of Britain's dominant roofing material. Offered in a classic Brecon Grey colour, each slate incorporates subtle colour differences to produce a laid roof with the understated colour variations typical of natural slate.



#### Richmond 10 Slate

Richmond 10 Slate is the epitome of a cost effective roofing solution where an authentic slate appearance is called for. Its unique design offers a thin leading edge and hidden interlock without compromising strength, durability and weathertightness.



#### MockBond Richmond 10

MockBond Richmond 10 is available in a range of four colours, classic Slate Grey, a vibrant, rich Black and two variegated colours, Flame Red and Rustic Brown.



#### Saxon 10 Slate

Saxon 10 is available in two vibrant, rich colours, a traditional Black and an authentic Blue. Saxon 10 Slate in Blue replicates the traditional blue-grey slate from the heart of Snowdonia whilst the Black is a good match for the black-grey slate of Scotland.



#### Stonewold II

The original flat-profile concrete slate with interlocking edges that make the roof easy to build even at pitches as low as 17.5°. It provides a cost-effective slated roof effect.



#### Mini Stonewold

An economical concrete slate, Mini Stonewold has interlocking edges ensuring quick and simple construction, reducing the laid cost of the roof.



#### MockBond Mini Stonewold

A flat concrete slate which can be laid at pitches as low as 17.5°, for new build or re-roofing applications. Redland's most economical concrete slate with interlocking edges for simple construction.



# FLAT ROOFING

## EPDM Single Ply

**WATTS**  
ROOFING SUPPLIES

### FIRESTONE EPDM STANDARD

Firestone EPDM is a high performing synthetic rubber membrane offering a unique combination of features and benefits. Firestone Products are specially designed for the Firestone RubberCover™ EPDM Roofing System. The system is based on high performing Firestone RubberCover EPDM rubber membranes and a limited range of accessories, offering a watertight and durable roofing solution.



#### FEATURES

- Available in large sheet sizes anything up to 12.5m x 30m, resulting in fewer field seams and less installation time.
- Due to its composition, essentially EPDM polymers and carbon black, Firestone EPDM offers unmatched resistance to ozone, UV radiation, and ultimately ageing. Life expectancy of 50+ years!
- Firestone EPDM remains flexible at temperatures down to -45 degrees and can elongate over 300% to accommodate building movements and temperature fluctuations.
- Firestone EPDM requires little or no maintenance. This feature combined with the inherent durability and competitive installed cost of EPDM roofing systems, result in a very low life-cycle cost.
- Firestone EPDM is an inert material with limited environmental impact during manufacture and use of the product.



### RESITRIX

RESITRIX® SK Partial Bond is a hot air-weldable waterproofing membrane with a synthetic rubber (EPDM) base.

RESITRIX® SKP is the first partially self-adhesive 3-in-1 waterproofing membrane. It combines a waterproofing section, a vapour pressure equalisation section and a movement compensation section in a single layer.

These special properties are particularly beneficial for use on materials prone to a great deal of movement and substrates with trapped residual moisture. This also makes RESITRIX® SK Partial Bond a perfect choice for partial surface and complete refurbishment projects.



# FLAT ROOFING

## Felt & Felt Shingles

**WATTS**  
ROOFING SUPPLIES

### DEFLECTOR SBS & DEBOFLEX (DEBOTEC)



A high performance range of torch-on membranes offering a choice of weight/thickness options to suit your requirements.

Product code	Product description	Roll Size	Finish Type	Pallet Qty	Weight Kg
2176	Deflector Polyester	8mx1m	Sand	30	32
2175	Deflector Polyester 4.5kg/m <sup>2</sup>	8mx1m	Green Mineral	30	36
2178	Deflector Polyester 4.5kg/m <sup>2</sup>	8mx1m	Charcoal	30	36

Product code	Product description	Roll Size	Finish Type	Pallet Qty	Weight Kg
2180	Deflector Five 5kg/m <sup>2</sup>	8mx1m	Green Mineral	25	40
2181	Deflector Five 5kg/m <sup>2</sup>	8mx1m	Charcoal	25	40

Product code	Product description	Roll Size	Finish Type	Pallet Qty	Weight Kg
2172	Deflector Underlay	16mx1m	Sand	30	32
P838	Universal Underlay	16mx1m	Sand	30	32
P901	Laser Gold Underlay 3kg/m <sup>2</sup>	12mx1m	Sand	30	36
2203	Deboflex Film/Film Underlay	16mx1m	Film	25	32
2174	Universal Poly Underlay 3kg/m <sup>2</sup>	12mx1m	Sand	30	36
2706	Debovent glass Fibre	16mx1m	Perforated	36	32

The Debotec range is offered in a traditional three layer built up system using universal venting/perforated layers, glass fibre base sheets intermediate layers followed by final capping layer.

Product code	Product description	Roll Size	Finish Type	Pallet Qty	Weight Kg
P825	Chestertorch Polyester	8mx1m	Sand	30	32
P826	Chestertorch Polyester	8mx1m	Green Mineral	30	32
P829	Chestertorch Polyester	8mx1m	Charcoal	30	32

**GUARANTEES RANGING**  
FROM 10 – 20 YEARS  
AVAILABLE UPON REQUEST



#### ICOPAL FELT


We stock a range of Icopal felt including shed felt, and other breather membranes to suit your roofing needs.

#### IKO FELT

Among our vast range of felts we stock some of the well-known IKO felt and underlays.



### IKO FELT SHINGLES



IKO Roofing Shingles are lightweight, glass fibre based bitumen strip slates. They are easily installed and give the appearance of a highly decorative tiled roof finish. IKO Roofing Shingles can be used on a wide variety of buildings, temporary or permanent, and have proved immensely popular with both professional and DIY installers alike.

**Colour:** Green, Brown, Red, Grey, Black

**GUARANTEES RANGING**  
FROM 5 – 30 YEARS  
AVAILABLE UPON REQUEST





# FLAT ROOFING GRP Systems

**WATTS**  
ROOFING SUPPLIES

## STRONGHOLD GRP ROOFING SYSTEM



The strongest and most durable flat roofing system available. 2 x stronger than any other flat roofing system when reinforced with KEVLAR® technology. Complete with a 25 year manufacturer's guarantee when properly installed to manufacturer's specifications. 600 or 900 (2x450) gram per m<sup>2</sup> fibreglass reinforcement can also be used for a super strong finish available with a 20 year guarantee.

## CROMAR ProGRP ROOFING SYSTEM



GRP is also known as Glass-Fibre. This system is cold applied on site, giving it a seamless and flexible weatherproof finish that resists water, heat and frost. The resulting surface gives a strong architectural finish that looks very impressive. If maintained properly it will last as long as the building stands. We have developed this technology further to produce the perfect all weather protection for any flat roof. PRO GRP can be applied in small domestic situations right through to large industrial environments.



## TUFFSTUFF



Providing an exceptional combination of versatility and durability. Quick to lay, with no need to strip or re-deck a roof, this fast-curing system saves time and money. It's a single-resin solution which can be applied to a multitude of surface types and structures including vertical sections. With two coats applied within one hour, TuffStuff® Flexible GRP will form a highly flexible, extra tough and seamless waterproof membrane - can be a solution for areas of heavy duty foot traffic.

## RES-TEC



There is simply no other roofing system capable of delivering a total waterproofing solution across such a wide range of flat roof repair and flat roof coating applications. Similar to fibreglass systems, Flexitec 2020 uses a powder hardener for rapid curing and is reinforced with fibreglass CSM for extra strength and crack-resistance. The finished membrane is also extremely tough, impact resistant and can easily accommodate foot traffic.



# RECLAIM


## Tiles, Slates & Ridge

**WATTS**  
ROOFING SUPPLIES

## RECLAIM

We supply a vast range of reclaim. Our stock is constantly changing, so make sure to give us a call about your needs.

- Marley bold rolls
- Redland Stonewold mark 1 & 2
- Redland Delta
- Marley moderns
- Clay valley
- Clay bonnets
- Clay ridge
- Plain angle ridge
- Reclaim slate



Need more  
information on  
Reclaim?



[sales@wattsroofing.co.uk](mailto:sales@wattsroofing.co.uk)



01462 491894



[edward@wattsroofing.co.uk](mailto:edward@wattsroofing.co.uk)



### Stevenage

01438 879798

[stevenage@wattsroofing.co.uk](mailto:stevenage@wattsroofing.co.uk)

### Baldock

01462 491894

[sales@wattsroofing.co.uk](mailto:sales@wattsroofing.co.uk)

### Cambridge

01223 491711

[cambridge@wattsroofing.co.uk](mailto:cambridge@wattsroofing.co.uk)

**WATTS**  
ROOFING SUPPLIES



# LEAD Rolled Lead

## LEAD THEORETICAL WEIGHTS CHART

Width (mm)	Nearest Imperial (inch)	Code 3		Code 4		Code 5		Code 6		Code 7		Code 8	
		3m	6m	3m	6m	3m	6m	3m	6m	3m	6m	3m	6m
150	6	7	13	9	18	11	23	14	27	16	32	18	36
180	7	8	16	11	22	14	27	16	32	19	39	22	43
210	8	9	19	13	26	16	32	19	38	23	45	25	51
240	9	11	22	15	29	18	37	22	43	26	51	29	58
300	12	13	27	18	37	23	46	27	54	32	64	36	72
360	14	16	32	22	44	27	55	32	65	39	77	43	87
390	15	18	35	24	48	30	59	35	70	42	84	47	94
450	18	20	40	28	55	34	69	41	81	48	96	54	109
510	20	23	46	31	62	39	78	46	92	55	109	62	123
600	24	27	54	37	73	46	91	54	108	64	129	72	145
760	30	34	68	47	93	58	116	69	137	81	163	92	184
800	32	36	72	49	98	61	122	72	144	86	171	97	193
850	34	38	76	52	104	65	130	77	153	91	182	103	205
914	36	41	82	56	112	70	139	82	165	98	196	110	221
1000	39	45	90	61	122	76	152	90	180	107	214	121	242
1200	48	54	108	73	147	91	183	108	216	129	257	145	290
1600	63	72	144	98	196	122	244	144	288	171	343	193	386
2400	96	-	-	147	294	183	366	216	433	257	514	290	580
Thickness (mm)		1.32		1.80		2.24		2.65		3.15		3.55	
Kg/m <sup>2</sup>		14.97		20.41		25.40		30.05		35.72		40.26	

**50** YEAR  
WARRANTY  
AVAILABLE UPON REQUEST



## LEAD ANCILLARY PRODUCTS



We stock a range of lead ancillaries which includes patination oil, lead slate, lead seal, hall clips, flexislate, lead sheet restorer and much more.

**Lead sheet** has been produced by rolling since the mid 1700's and by the turn of this Century, rolled (milled) Lead sheet was being used in the UK as an alternative to sand cast sheet for roofing and weathering.

Rolled Lead sheet is formed by passing a slab of refined lead back and forth on a rolling mill between closing rollers, which is computer controlled to obtain an exact predetermined thickness.

The sheet is then slit to width and cut to length for final packing and distribution. BSEN 12588:2006 specifies thickness tolerances and chemical composition in order to produce a consistent microstructure.



# LEAD Fabrications


**WATTS**  
ROOFING SUPPLIES

## SOAKERS



Fabricated soakers are available in a range of sizes and dimensions. They are supplied and priced in packs of 25.

## RIDGES & VALLEYS



Fabricated ridges and valleys are available in a range of sizes and dimensions.

## CAPPINGS



Fabricated cappings are manufactured to two different sizes from zinc only.

## ABUTMENTS



Fabricated abutments are available in a range of sizes and dimensions they are supplied and priced singularly.

## WATERGATES / SIDE SLIPS



Fabricated watergates / side slips are available in a range of sizes and dimensions. They are supplied and priced singularly.

## ABUTMENTS



Fabricated gutters are available in a range of sizes and dimensions

Lead has been used within construction for many hundreds of years and since the 19th Century lead sheet was the material predominantly used for ridge and hip flashings. From the early 19th century milled zinc sheet began to be produced industrially, and was used as a flat roof covering on factories and other buildings of lower budget. Lead was still used extensively on more prestigious buildings such as churches, country houses and Palaces. Many details such as gutters and ridges on 19th century buildings are in fact of zinc and not lead.

Due to its reliability and low maintenance requirement, lead will always be the preferred material for these specific waterproofing details, this said Zinc and Aluminium are feasible alternative options where cost or other factors play a part in replacement. Depending on the thickness used, the life expectancy of Lead is far higher than that of Zinc or Aluminium, but where cost is a factor, they can be the more acceptable option.



# ROOFLINE Fascia & Soffit

**WATTS**  
ROOFING SUPPLIES

## FASCIA



10mm Square Leg    18mm Square Leg

Freefoam offer wide range of PVC-UE fascia in a selection of colours and styles will improve the appearance of any façade. All fascia systems come complete with matching accessories to ensure a professional finish on all jobs.



## SOFFIT



Solid Soffit

Hollow Soffit

Ventilation

Soffit Finishing  
Trims

To preserve and protect the underside of any roof edge, choose from Freefoam's large collection of soffit board. Their vented soffit range will minimise the risk of trapped moist air and is a long-term solution for easy maintenance.



Freefoam manufactures one of the most technologically advanced colour PVC-U and PVC-UE fascia and soffit ranges using their unique, patented, Colormax® technology. Freefoam provide excellent colour variety, colour-matching and colourfastness options throughout their product range.

By using a proprietary formulation that contains a unique selection of stabilisers and pigments, specially chosen for their high colourfastness properties, Freefoam can confidently offer one of the widest collection of colours on the market. These range from subtle gold and soft grey to striking black and anthracite grey.

**COLORMAX**  
technology



# GUTTERING

## Gutter Systems

**WATTS**  
ROOFING SUPPLIES

### ROUND GUTTER



Round Gutter 4m  
Round Gutter 4m



Round Gutter and Fittings



Round Downpipes and Fittings

The Freeflow half round gutter system includes a traditional half round style gutter with a complete range of matching fittings to ensure a water-tight professional installation. The gutter is 112mm wide, 52mm deep and 4m long. All half round gutter system parts are available in white, black and brown. The half round gutter is compatible with other half round rainwater systems with a range of adaptors. Square or round pipe systems may be fitted to the half round gutter system.

### SQUARE GUTTER



Square Gutter 4m  
Square Gutter 4m



Square Gutter and Fittings



Square Downpipes and Fittings

The Freeflow square line gutter system includes a traditional square style gutter with a complete range of matching fittings to ensure a water-tight professional installation. The gutter is 114mm wide, 57mm deep and is available in lengths of 4m and 5m. All square line gutter system parts are available in white, black and brown. The square line gutter is compatible with other square line systems with a range of adaptors. Square or round pipe systems may be fitted to the square line gutter system.

### Ogee GUTTER



Ogee Gutter 4m  
Ogee Gutter 4m



Ogee Gutter and Fittings



Square Downpipes and Fittings

The Freeflow ogee gutter system includes a traditional 's' curved style gutter with a complete range of matching fittings to ensure a water-tight professional installation. The gutter is 135mm wide, 77mm deep and is 4m long. All ogee gutter system parts are available in white, black, brown and caramel. Square or round pipe systems may be fitted to the ogee gutter system.

### DEEP GUTTER



Deep Gutter 4m  
Gutter 4m



Deep Gutter and Fittings



Round Downpipes and Fittings

The Freeflow deep gutter system includes a deep round style gutter with a complete range of matching fittings to ensure a water-tight professional installation. The deep gutter has a high flow capacity which is ideal for areas prone to high precipitation. The gutter is 116mm wide, 77mm deep and 4m long. All deep gutter system parts are available in white, black and brown. Square or round pipe systems may be fitted to the deep gutter system.

### CAST GUTTER SYSTEM



Cast Round Gutter System



Cast Deep Gutter System



Cast Gutter Fittings



Cast Downpipes and Fittings

The Freeflow Cast Iron style gutter system has been designed to provide the authentic look and feel of traditional cast iron gutter with all the benefits of a modern uPVC low maintenance and fitter-friendly system. The system is available in half round and deep styles with a full range of related accessories to ensure a neat and professional installation.

Need more info on  
**plastics & guttering?**  
Contact our expert  
**Chris McGrath.**



**01438 879798**




**chris@wattsroofing.co.uk**



# INSULATION Roofing

**WATTS**  
ROOFING SUPPLIES

## XTRATHERM PIR INSULATION



PIR INSULATION 1200 x 2400 x 25mm (12 Per Pack)
PIR INSULATION 1200 x 2400 x 50mm (6 Per Pack)
PIR INSULATION 1200 x 2400 x 60mm (5 Per Pack)
PIR INSULATION 1200 x 2400 x 75mm (4 Per Pack)
PIR INSULATION 1200 x 2400 x 90mm (4 Per Pack)
PIR INSULATION 1200 x 2400 x 100mm (4 Per Pack)
PIR INSULATION 1200 x 2400 x 120mm (3 Per Pack)
PIR INSULATION 1200 x 2400 x 150mm (2 Per Pack)

Thermal Conductivity: 0.022W/mK

Need more info on  
insulation?  
Contact our expert  
**Steve Jackson.**



07506 481737



steve.jackson@wattsroofing.co.uk



01223 491711

## KNAUF LOFT ROLL



100mm, 150mm, 170mm & 200mm

Loft Roll is a lightweight, non-combustible, unfaced glass mineral wool products for use as loft insulation in cold pitched roofs. Loft roll is perforated to allow it to be split into 2 x 570mm wide rolls to match the format for use between joists at 600mm centres.

Thermal Conductivity: 0.044W/mK



## KINGSPAN



**TR24**

Kingspan Thermarof TR24 is a high performance insulation with a fibre-free rigid thermoset polyisocyanurate (PIR) core. It is suitable for flat roofs waterproofed with partially bonded torch applied multi-layer bituminous waterproofing, and has a thermal conductivity of 0.024 - 0.027 W/mK.



**TR27**

Kingspan Thermarof TR27 is a high performance insulation with a fibre-free rigid thermoset polyisocyanurate (PIR) core.

## ROCKWOOL



Rockwool 100mm, 150mm

Rockwool RollBatt mineral wool loft insulation is a multi-functional medium-density lightweight insulation matt, especially designed for improving thermal and acoustic performance, thus reducing fuel consumption and utility bills, when used in roofs, partitions and suspended ceilings.

Thermal Conductivity: 0.044W/mK

## TLX GOLD



TLX Gold multifoil insulation from Web Dynamics is a 2 in 1 insulating breather membrane, venting moisture like a breather membrane, whilst insulating like non-breathable PIR board.



# CLADDING Panels

**WATTS**  
ROOFING SUPPLIES

## CEDRAL CLICK



Cedral Click is a flush fitting tongue and groove weatherboard product and can be fitted vertically or horizontally, creating a contemporary flat finish – available in 11 standard colours.



## CEDRAL LAP



Cedral Lap is easy to install and to maintain. Overlap it horizontally or vertically to create deep shadow lines or fit with an open joint for a minimalistic look. Available in 21 factory applied colours and 2 woodstain finishes, Cedral Lap can help create a personalised facade.





# CLADDING Accessories

**WATTS**  
ROOFING SUPPLIES



Cedral Lap



Cedral Lap



Cedral Click

## External corner (symmetric)

This universal trim can be used to provide protection on external corners and for stop profile applications.



Cedral Lap

## Internal corner

To finish the corner where Cedral meets an internal corner forming a seal between the trim and the corner.



Cedral Lap



Cedral Click

## External corner junction

Used as a corner joining piece.

Only available in black. 300mm length.



Cedral Click



Cedral Lap



Cedral Lap



Cedral Click

## Vertical start profile

Used to start a vertical cladding run.



Cedral Lap  
Cedral Click



## End profile

Protects the Cedral Lap edges from wear and tear.



Cedral Click

## Connection profile

End trim to finish Cedral when used as a single piece on a window reveal or soffit.

## Perforated closure

Used to protect against pest infestation and debris. Made from aluminium and available in 2.5m length.

## Window lintel profile

Used to finish above the window and to support next run of Cedral Click.



# ROOF LIGHTS & WINDOWS

## Dome Lights

**WATTS**  
ROOFING SUPPLIES

### MARDOME ROOF LIGHTS



**mardome**trade  
Dome Rooflights

Mardome Trade is the standard specification dome in the range and comes complete with a host of features and benefits as standard to satisfy a range of projects and budgets.




**mardome**reflex  
Dome Rooflights

Mardome Reflex is a glazing only unit designed specifically for refurbishment projects where the glazing only needs to be replaced. The unit is supplied with a fixing kit including weather-tight washers and cover plugs.



**mardome**circular  
Dome Rooflights


Mardome Circular, as its name suggests is our round glazing unit which is specified for its distinct styling and character.




**mardome**ultra  
Dome Rooflights

Mardome Ultra is the architectural dome in the range. In addition to the standard features offered by Mardome Trade, the architecturally inspired Ultra delivers maximum security and a modern aluminium security frame.

### VELUX ROOF LIGHTS



The VELUX flat glass rooflight stands out as a stylish yet discreet feature on any roof with a 2-15° pitch. The glass surface has a special coating for easy cleaning. Choose the electrically-vented base unit with VELUX INTEGRA® for comfortable, automated operation.



The VELUX curved glass rooflight has a unique curved glass surface that lets in more daylight and stands out externally as a modern addition to roof surfaces – ideal for design-conscious homeowners. Choose the electrically-vented base unit with VELUX INTEGRA® for comfortable, automated operation.



# ROOF LIGHTS & WINDOWS

## Roof Windows

**WATTS**  
ROOFING SUPPLIES

### CENTRE PIVOT ROOF WINDOWS



Centre-pivot roof windows are operated via the top control bar, making it easy to open, even with furniture below the roof window.



White painted finish, pine finish, and white polyurethane finish

### TOP-HUNG ROOF WINDOWS



Top-hung roof windows are operated by a handle at the bottom and open outwards, allowing you to take advantage of uninterrupted views and a feeling of extra space.



All VELUX roof windows come with grey aluminium exterior covers as standard. You may also select copper, titanium zinc or coloured aluminium.

### VELUX INTEGRA®



For easy ventilation at the touch of a button, you can control VELUX INTEGRA® solar powered or electric roof windows remotely. They're the ultimate choice for fresh air and better indoor comfort.



Natural ventilation. Let fresh air into your home even when you are away or sleeping, without having to worry about security or bad weather.



# ROOF Accessories

**WATTS**  
ROOFING SUPPLIES



## CROMAPOL

Cromapol is a fibre reinforced liquid acrylic resin dispersed in solvent designed to prevent the ingress of water. Due to the high level of fibres in Cromapol the coating will bridge small gaps and require only a one-coat application to give instant waterproofing.



## ACRYPOL+

Acrypol+ is a unique resin-based acrylic waterproof protective coating that instantly prevents leaks. It was specifically developed to provide a solution for undertaking day to day refurbishment of failed industrial, commercial or domestic flat roofs as well as general patching repairs.

## OTHER CHEMICALS & SOLUTION

At Watts, we also stock a range of chemicals and solutions which include bitumen primer, black bitumen paint, flashing tape, roofing felt adhesive, roof & gutter sealant, trowel mastic and much more. Please get in touch with a sales rep to find out more about our range of solutions.



## KLOBER VENTS



### UNIVERSAL TILE VENT

A Universal Tile Vent that suits most concrete interlocking roof tiles that can be used to ventilate roof voids or as a terminal for soil and ventilation pipes and mechanical extraction systems.



### TWIN PLAIN TILE VENT

Klober's neat, cleverly designed in-line Profile-Line® Tile Vents include a range suitable for Douplain, Gemini, and Ashmore.



### DOUBLE PANTILE VENT

Klober's neat, cleverly designed in-line Profile-Line® Tile Vents include a range suitable for the most popular concrete interlocking roof tiles.



### 15X9 TILE VENT

A neat, cleverly designed in-line range suitable for the most popular concrete interlocking roof tiles. The design makes the vent virtually invisible in the roofline and is available in a variety of colours.



### FLAT TILE VENT

Klober's neat, cleverly designed in-line Profile-Line® Tile Vents include a range suitable for the most popular concrete interlocking roof tiles.



### UNI-PLAIN TILE VENT

Uni-Plain Tile Vent is a discreet ventilating tile suitable for clay and concrete plain tiles that provides 6,000 mm<sup>2</sup> effective ventilation area. An in-line design makes the vent virtually invisible in the roof line.



### DOUBLE ROMAN TILE VENT

Klober's neat, cleverly designed in-line Profile-Line® Tile Vents include a range suitable for the most popular concrete interlocking roof tiles.



### SINGLE PANTILE VENT

Klober's neat, cleverly designed in-line Profile-Line® Tile Vents include a range suitable for the most popular concrete interlocking roof tiles.



# ROOF Accessories

**WATTS**  
ROOFING SUPPLIES

## BREATHER MEMBRANE



PROCTOR ROOFSHIELD

We stock a range of breather membrane and roofing underlays to match your needs including Climateq, Permo, and Proctor.

If you need any more info on the products make sure to give us a call or visit one of our branches.



PERMO® FORTE



PERMO® EXTREME



PERMO® AIR



CROMAR VENT 3 RANGE  
LIGHT, CLASSIC, HIGH-PERFORMANCE


## DRY FIX

We stock a range of Klover's breather membrane and roofing underlays to match the needs of your project.

The Uni-Click® Dry Verge is designed to provide a mortar-free and secure method of fixing concrete interlocking verge tiles. Its neat interlocking design provides a consistent appearance that requires no maintenance.



Roll-Fix® Kit is a universal ventilating dry ridge and hip system suitable for ventilating most concrete and clay ridge/hip tiles.



HAMBLESIDE DANELAW MONO6+  
DRY FIX VENTILATED MONO RIDGE SYSTEM 6M



CROMAR PRORIDGE UNIVERSAL  
RIDGE SYSTEM 6M KIT



WATTS DRY RIDGE SYSTEM, BLACK, 6M KIT



**WATTS**  
ROOFING SUPPLIES






# METAL SHEETING & ACCESSORIES

**WATTS**  
ROOFING SUPPLIES


## GALVANISED SHEETS

Our range of sheeting products and accessories.


We supply a range of roofing sheets from a well-known range of manufactures. If you have any questions about galvanised sheets, feel free to contact one of our branches to discuss your needs.




## GRP ROOF LIGHTS



## COMPOSITE PANELS



## FLASHINGS & CAPPINGS



### Stevenage

01438 879798

[stevenage@wattsroofing.co.uk](mailto:stevenage@wattsroofing.co.uk)

### Baldock

01462 491894

[sales@wattsroofing.co.uk](mailto:sales@wattsroofing.co.uk)

### Cambridge

01223 491711

[cambridge@wattsroofing.co.uk](mailto:cambridge@wattsroofing.co.uk)

**WATTS**  
ROOFING SUPPLIES



# SHEETING

## Single Skin & Profiled

**WATTS**  
ROOFING SUPPLIES

### SINGLE SKIN PROFILES



32/1000



34/1000



13½/3

8/3



10/3





# TIMBER

## Batten and Shingles

**WATTS**  
ROOFING SUPPLIES

### JB RED BATTEN

High quality roofing batten and the only UK factory graded batten available to the roofing industry with BBA certification.



### JORDESON YELLOW BATTEN



Super Yellow BS5534 Roofing Battens are low pressure treated to Use Class 2. The treatment process includes additional dye to leave the timber permanently marked with a distinctive yellow colour, making Super Yellow™ battens instantly distinguishable from traditional 'Type A' or 'Green' batten.

### LGP S. FULLY GRADED BATTEN

Compliant with all aspects of BS5534 and colour blue for easy identification, our Diamond Blue timber battens are available in two sizes and the eight standard lengths. All packs contain battens conveniently bundled into tens.



### STERLING OSB3

A precision engineered board ideal for structural applications. Sterling OSB3 is BBA approved and available in square edged and T&G formats.




### HARD BOARD DRIP

Sizes (mm)	Type	Treatment	Lengths Available (cm)	Pieces Per Pack
25 x 38	BS5534 2003+A1:2010	Blue Treated	300, 360, 390, 420, 450, 480, 510, 540	560 (56 Bundles)
25 x 50	BS5534 2003+A1:2010	Blue Treated	300, 360, 390, 420, 450, 480, 510, 540	440 (44 Bundles)

### CEDAR SHINGLES

Compliant with all aspects of BS5534 and colour blue for easy identification, our Diamond Blue timber battens are available in two sizes and the eight standard lengths. All packs contain battens conveniently bundled into tens.



### ARRIS RAIL





# Our Sales Team

## STEVE JACKSON

Insulation Specialist



[steve.jackson@wattsroofing.co.uk](mailto:steve.jackson@wattsroofing.co.uk)



07506 481737



## JOANNE GRAINGER

Industrial Roofing & Cladding Specialist



[joanne.grainger@wattsroofing.co.uk](mailto:joanne.grainger@wattsroofing.co.uk)



07538 511835



## MICHAEL STRINGER

Roofing & Slating Specialist



[michael.stringer@wattsroofing.co.uk](mailto:michael.stringer@wattsroofing.co.uk)



07375 049485





# Thank you to **our suppliers** for their support





## Baldock

Warren Farm, Royston Road,  
Baldock, Hertfordshire,  
SG7 6QZ



01462 491894



[sales@wattsroofing.co.uk](mailto:sales@wattsroofing.co.uk)

## Cambridge

Unit 1, Fielding Industrial Estate,  
Fulbourn, Cambridge  
CB21 5ET



01223 491711



[cambridge@wattsroofing.co.uk](mailto:cambridge@wattsroofing.co.uk)

## Stevenage

Unit 10c Shangri-la Farm, Todds Green,  
Stevenage, Hertfordshire,  
SG1 2JE



01438 879798



[stevenage@wattsroofing.co.uk](mailto:stevenage@wattsroofing.co.uk)